

MATERIAL SAFETY DATA SHEET

物质安全资料表

Section I. Identification of Substance and Company 一. 物品与厂商资料	
Product Name 物品名称	VulcaPellet® SI-50 台翔药胶® SI-50
Producer(Supplier) 制造商(供货商名称)	Foundry Chemical Inc. TaiXiang Rubber Division. 台翔化工 台翔橡胶
Address 地址	LiSongLang Industrial Area, GongMing Town, ShenZhen, China. 中国深圳市公明镇李松朗工业区
Phone	+86(755)27126057 (China)
Fax	+86(755)27126074 (China)
Email	sales@foundrychemical.com.cn
Section II. Composition / Information on ingredients 二. 成份辨识资料	
An exclusive pre-dispersed 50% of Bis – [3 – (Triethoxysilyl) propyl] – Tetrasulphide in a 50% elastomeric / silica / processing aids binder. 预分散 50% 双-[3-(三乙氧基硅)丙基]四硫化物硅烷偶联剂(耐磨剂) 于 50% 白炭黑/橡胶弹性载体	
CAS Number 化学文摘社登记号码	40372-72-3
Section III. Hazards Identifications 三. 危害辨识资料	
Emergency Overview 最重要危害与效应	Hydrolysis may cause the formation of ethanol and a danger of explosion if exposed to sources of ignition. Harmful by inhalation and if swallowed. Irritating to eyes and respiratory system. May cause dermatitis and defatting on prolonged skin contact. 产品水解会产生乙醇。如接触燃火源可能引起爆炸。可能刺激眼睛,皮肤。引起呼吸困难。
Section IV. First-aid Measures 四. 急救措施	
Inhalation 吸入	Remove to fresh air. 移至新鲜空气处
Skin Contact 皮肤接触	Wash with plenty of water and soap. 立即用流动的温水冲洗污染处
Eye Contact 眼睛接触	Wash with plenty of water and obtain medical attention if any sensation persists. 立即用流动的温水冲洗。立即送医。
Ingestion 摄入	Remove material from mouth. Wash with water. If large amounts swallowed or symptoms develop seek medical attention.

MATERIAL SAFETY DATA SHEET

物质安全资料表

食入 从患者口中移开剩余吞食物， 让患者彻底漱口。 如吞食过量请立即送医。

Section V. Fire-fighting Measures

五. 灭火措施

Extinguishing Media 适用灭火剂	Water spray, foam, carbon dioxide, dry chemicals 二氧化碳、泡沫、化学干粉
Specific Hazards 灭火时可能遭遇之特殊危害	None 无
Special Protective Equipment 特殊防护装备	Protective clothing and self-contained breathing equipment should be available for firemen. 消防人员需配戴空气呼吸器及防护手套、消防衣

Section VI. Accidental Release Measures

六. 泄漏处理方法

Spill 泄漏处理	Put spilled solid in a waste disposal container. Finish cleaning by spreading Water on the contaminated surface and dispose of according to local and regional authority requirements 清扫外泄物质后，置于适当加盖且标示的容器中。
---------------	---

Section VII. Handling and Storage

七. 安全处置与储存方法

Handling 处置	Avoid contact with skin and eyes. 避免皮肤及眼睛直接接触， 操作完毕澈底用肥皂及清水洗手。
Storage 储存	Keep container dry. Keep in a cool place. Avoid direct sunshine. Product slowly degrades on storage particularly under warm, humid conditions. Keep stocks below 40°C 应储存于阴凉干燥而且通风良好的地方，避免阳光直射，远离热及引火源。

Section VIII. Exposure Controls / Personal Protection

八. 暴露预防措施

General Precautions 个人卫生措施	Good industrial hygiene should be followed. 保持良好卫生措施。 工作场所严禁抽烟或饮食， 维持作业场所清洁。操作完毕澈底用肥皂及清水洗手。
Ventilation	Adequate ventilation should be maintained when handling heated product.

MATERIAL SAFETY DATA SHEET

物质安全资料表

操作区域通风排气	排气直接通往室外° 并提供足够空气以补充排出者°
Occupational Exposure Limits	Not established.
最大容许浓度	无相关资料
Personal Protective Equipment	Normal precautions should be observed as for handling all chemicals.
个人防护设备	手部防护: 手套 眼部防护: 安全护目镜,面罩 呼吸防护: 一定流量型供气式呼吸防护具

Section IX. Physical and Chemical Properties

九.物理及化学性质

Form / Color	Translucent yellow granules
物质形态/ 颜色	固体颗粒/透明淡黄米色
PH	Not Applicable
PH 值	不适用
Boiling Point	Not Applicable
沸点	不适用
Melting Point (Active Ingredient)	Not Applicable
熔点 (有效成分)	不适用
Flash Point (Active Ingredient)	> 105°C
燃火点 (有效成分)	
Auto-ignition Temp. (Active Ingredient)	240°C
自燃温度 (有效成分)	
Explosive/ oxidizing properties	Not to be expected
爆炸界限	不太可能发生
Vapor Pressure	Not Applicable
蒸气压	不适用
Special Gravity	1.20 approx.
比重	
Solubility in Organic Solvents	Soluble in organic liquid.
溶解度(有机溶剂)	溶于有机溶剂

Solubility in Water 溶解度 (水)	Insoluble 不溶
--------------------------------	-----------------

MATERIAL SAFETY DATA SHEET

物质安全资料表

Section X. Stability and Reactivity 十. 安定性及反应性	
Stability 安定性	Stable under normal conditions. 正常情况下安定。
Conditions to Avoid 应避免之状况	Decomposition temperature above 250°C (482°F) 当温度大于 250°C (482°F) 产品会分解。
Material to Avoid 应避免之物质	Avoid contact with alkalis. Ethanol will form. 强碱反应会生乙醇。
Hazardous Decomposition Products 危害分解物	Oxides of carbon, nitrogen and sulfur, ethanol. 碳,氮,硫氧化物,乙醇。
Section XI. Toxicological Information 十一. 毒性资料	
Routes of Entry 毒性进入人体途径	Eye contact. Ingestion. Inhalation. Skin contact. 眼部接触, 食入, 吸入, 皮肤接触°
Toxicity to Animals 动物毒性测试	Acute oral toxicity (LD50): > 17500 mg/kg mg/kg [Rat]. Acute dermal toxicity (LD50): > 4983 mg/kg [Rabbit]. 食入急毒性(LD50): > 17500 mg/kg [大鼠]。 皮肤接触急毒性(LD50): > 4983 mg/kg [兔子]。
Acute Effects 急毒性	
Eye contact 眼部接触	This material may be a slight to mild eye irritant. 轻微刺激眼睛
Skin Contact 皮肤接触	Slight skin irritant. 轻微刺激皮肤
Sensitization 致敏感性	Human experience has shown that repeated exposure to the product can result in an allergic response to sensitive individuals. 长期接触, 体质过敏者会有过敏反应
Ingestion 食入	This material may be an ingestion hazard. 会刺激口腔,胃,引发恶心,呕吐

Inhalation 吸入	This material may be an inhalation hazard. Can cause respiratory irritation. 可能引起昏眩,呼吸困难
------------------	---

MATERIAL SAFETY DATA SHEET

物质安全资料表

Section XII. Ecological Information 十二. 生态资料

Products of Biodegradation 生物降解产物	No information available. This product is not easy biodegradable. 查无相关数据,产品本身不易分解。
--------------------------------------	---

Section XIII. Disposal Considerations 十三. 废弃处置方法

Waste Disposal Method 废弃处置方法	Recycle where possible. Incinerate according to local regulations. 建议尽量回收。如需焚毁,请参照环保法规在适宜燃烧室焚化后,再以合格的卫生掩埋法处理。
---------------------------------	--

Section XIII. Transport Information 十四. 运送资料

Not classified in RID/ADR - ADNR - IMDG - ICAO/IATA - DGR. 非国内国际运送法则规管制品

Section XV. Regulatory Information 十五. 法规资料

Hazardous Material Information System 美国危害物分类	Health Hazardous 健康危害	1
	Fire Hazardous 火灾危害	1
	Reactivity 反应性	1
	Personal Protection 个人防护	E

Section XVI. Other Information

十六.其它资料

Validated By

制表人

单艳婷

Issue Date

08/31/2010

制表日期

MATERIAL SAFETY DATA SHEET

物质安全资料表

Important Note

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. Final determination of suitability of any material is the sole responsibility of the user.

备注

台翔公司对上述资料已力求正确,但错误恐仍难免。各项资料数据仅供参考。使用者请依应用需求自行判断其可行性,台翔公司不负任何责任。本公司不保证所有资料数据的正确性。